



MileGuard[®] Full Synthetic SAE SW-40 Passenger Car Motor Oil ADVANCED EUROPEAN CAR FORMULA

MileGuard Full Synthetic SAE SW-40 Passenger Car Motor Oil (PCMO) is an ultra-premium quality, high detergent automotive engine oil specially formulated to meet the stringent lubrication requirements of advanced European automobiles. Synthetic base oils combine with a carefully selected additive package to provide the highest levels of protection against wear, rust, corrosion, oxidative thickening, acid formation, sludge and varnish deposits.

MileGuard Full Synthetic SW-40 Passenger Car Motor Oil (PCMO) meets or exceeds the requirements of API SN, ACEA A3/B4-10, ACEA A3/B3-12, ACEA A3/B4-12, BMW LL-01, Mercedes-Benz MB p229.3, p229.5, Porsche A40, Renault 0710, 0700, Opel GM-LL-B-025, Volkswagen VW 501 01, VW 502 00, VW 503 01, and VW 505 00. It is also suitable for use in the now obsolete API CF category.

Benefits

- Outperforms conventional motor oil in high temperature service
- Provides outstanding thermal and oxidation stability
- Protects against rust and corrosion
- Outstanding low temperature performance
- Meets extended drain requirements of premium European vehicles





**MileGuard[®] Full Synthetic SAE SW-40
Passenger Car Motor Oil
ADVANCED EUROPEAN CAR FORMULA**

Typical Characteristics:

SAE Grade	SW-40
API Gravity @ 60°F	35.0
Sp. Gr. @ 60°F	0.8520
Flash, COC, °F	405
Pour Pt., °F	-35
Viscosity,	
cSt @ 40°C	86.0
cSt @ 100°C	14.2
Viscosity Index	171
API Performance	SN





**MileGuard[®] Full Synthetic SAE SW-40
Passenger Car Motor Oil
ADVANCED EUROPEAN CAR FORMULA**
